
KRİSTAL AG



Soil is future,
future is safe with us





Soil is future,
future is safe with us

Kristal AG; It is an agricultural company where agricultural engineers and chemical engineers work together and has a product range in line with the needs of farmers and agriculture, and develops and expands this product range day by day.
We serve the agricultural sector with our wide dealer network in all regions of our country, experienced agricultural engineers and strong technical team.


KRİSTAL AG

LUX



GUARANTEED CONTENT	%(W/W)
Organic Matter	20
Total Nitrogen	9
Organic Nitrogen	1
Urea Nitrogen	8
Alginic Acid	0.5
Gibrellic Acid	0.08
Humic-Fulvic Acid	7
Amino Acid	5
pH	4.5 - 6.5

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us


ORIGINAL MADE IN TURKEY ORIGINAL

info@kristalag.com



GUARANTEED CONTENT	%(W/W)
Organic Matter	57
Organic Carbon	23
Water Soluble Potassium Oxide (K_2O)	5
Free Amino Acids	7

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us



ORIGINAL MADE IN TURKEY ORIGINAL


KRISTAL AG

OCEAN PLUS

GUARANTEED CONTENT	%(W/W)
Organic Matter	15
Organic Carbon	11
Water Soluble Potassium Oxide (K_2O)	2.5
Alginic Acid	1.5
Gibberellic Acid	0.40
pH	4-6



PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us

ORIGINAL MADE IN TURKEY ORIGINAL


info@kristalag.com

MARE

GUARANTEED CONTENT	%(W/W)
Organic Matter	15
Organic Carbon	10
Total Nitrogen (N)	1
Water Soluble Potassium Oxide (K_2O)	2
Alginic Acid	1
Gibberralic Acid	0.4 ppm
pH	4.5-6.5



PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us

ORIGINAL MADE IN TURKEY ORIGINAL


ANIMUS



AMINO ACID OF ANIMAL ORIGIN

GUARANTEED CONTENT	%(W/W)
Organic Matter	24
Organic Carbon	12
Organic Nitrogen (N)	2
Water Soluble Potassium Oxide (K_2O)	15
Free Amino Acids	15

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us

ORIGINAL MADE IN TURKEY ORIGINAL

info@kristalag.com


ZEUS



AMINO ACID OF ANIMAL ORIGIN

GUARANTEED CONTENT	%(W/W)
Organic Matter	16
Organic Carbon	8
Organic Nitrogen (N)	1.5
Water Soluble Potassium Oxide (K_2O)	11
Free Amino Acids	10

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






ODIN

AMINO ACID OF ANIMAL ORIGIN



GUARANTEED CONTENT	%(W/W)
Organic Matter	16
Organic Carbon	7
Organic Nitrogen (N)	1
Water Soluble Potassium Oxide (K_2O)	9
Free Amino Acids	8

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us





info@kristalag.com


AMON

AMINO ACID OF ANIMAL ORIGIN



GUARANTEED CONTENT	%(W/W)
Organic Matter	15
Organic Carbon	7
Organic Nitrogen (N)	1
Water Soluble Potassium Oxide (K_2O)	7
Free Amino Acids	6

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






VFX PRO



GUARANTEED CONTENT	%(W/W)
Organic Matter	30
Organic Carbon	11
Organic Nitrogen	2
Free Amino Acids	9
pH	3-5

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






info@kristalag.com

deep



GUARANTEED CONTENT	%(W/W)
Organic Matter	30
Organic Carbon	10
Organic Nitrogen (N)	1
Water Soluble Potassium Oxide (K_2O)	2
Free Amino Acids	2

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us

ORIGINAL MADE IN TURKEY ORIGINAL


KRISTAL AG

NOIR

Capillary Rooter



PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






info@kristalag.com

VITALIZING



GUARANTEED CONTENT	%(W/W)
Total Organic Matter	35
Organic Carbon	16
Total Nitrogen	2
Water Soluble Potassium Oxide (K_2O)	2
pH	4-6

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us




ORIGINAL MADE IN TURKEY ORIGINAL

ZİN

GUARANTEED CONTENT	%(W/W)
Organic Matter	25
Organic Nitrogen	1
Water Soluble Zinc (Zn)	6
Amino Acid	4
pH	3-5



PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






info@kristalag.com

LEON



GUARANTEED CONTENT	%(W/W)
Leonardite Origin Humic + Fulvic Acid	
Organic Art.	15
Humic + Fulvic Acid	15
pH	3-5

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






NSUL



GUARANTEED CONTENT	%(W/W)
Total Nitrogen	15
Urea Nitrogen	15
Water Soluble Phosphorus Penta Oxide (P_2O_5)	5
Water Soluble Boron (B)	0.5
Total Sulfur trioxide (SO3)	60

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Toprak ve Yaprak Gübrelemesinde
Güvenilir Çözüm Ortağınız





info@kristalag.com


SULFOLIN

Kolleidal & Süspansiyon
SIVI KÜKÜRT

Elemental Kükürt (S) Olarak
%98 SO_3 içerir



PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Toprak ve yaprak analizi sonucunda gübreleme yapılması tavsiye edilir.



ORIGINAL MADE IN TURKEY ORIGINAL


KRİSTAL AG

CALTRATE



GUARANTEED CONTENT	%(W/W)
Water Soluble Calcium Oxide (CaO)	12
Water Soluble Boron (B)	0.2

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






info@kristalag.com

AACAL



GUARANTEED CONTENT	%(W/W)
Organic Matter	20
Total Nitrogen	7
Organic Nitrogen	1
Nitrate Nitrogen	6
Water Soluble Calcium Oxide (CaO)	10
Water Soluble Boron (B)	0.3
Free Amino Acids	5

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






GLUCOP



GUARANTEED CONTENT	**%(W/W)**
Water Soluble Copper (Cu)	6

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






info@kristalag.com

BORDOS

pH Regulator



PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






REFRESH

Hydroxy Carboxylic Acid 45%
Sulfuric Acid 20%
Other Acids and Assist. Article 35%



PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






info@kristalag.com

CARBOXY agent

Mixing Agent
Wetter/Spreader
pH Indicator & Acidifier
Buffering & Water Conditioning Agent
Tank Cleaner



PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






MOTTO K



GUARANTEED CONTENT	% W/W
Total Nitrogen	3
Water Soluble Potassium (K_2O)	25
pH	6.1

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






info@kristalag.com

MOTTO BALANCE 7-7-7



GUARANTEED CONTENT	% W/W
Total Nitrogen (N)	7
Ammonium Nitrogen (N)	2
Urea Nitrogen (N)	5
Water Soluble Phosphorus pentoxide (P_2O_5)	7
Water Soluble Potassium (K_2O)	7

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






MOTTO PZn



GUARANTEED CONTENT	% W/W
Total Nitrogen	3
Ammonium Nitrogen	1.2
Carbamide Nitrogen	1.8
Water Soluble Phosphorus pentoxide (P_2O_5)	15
Water Soluble Zinc (Zn)	3

PACKAGING TYPES



Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






info@kristalag.com

MOTTO ZnB

GUARANTEED CONTENT	%(W/W)
Water Soluble Zinc (Zn)	10
Water Soluble Boron (B)	10





1 kg **5 kg**

Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






MIX TOTAL

GUARANTEED CONTENT	%(W/W)
Water Soluble Boron (B)	1
Water Soluble Copper (Cu)	0.6
Water Soluble Iron (Fe)	5
Water Soluble Manganese (Mn)	4
Water Soluble Zinc (Zn)	5





1 kg 5 kg

Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us






info@kristalag.com

MANOFER

GUARANTEED CONTENT	%(W/W)
Water Soluble Iron (Fe)	17
Water Soluble Manganese (Mn)	6





1 kg **5 kg**

Application Dosages

* **In vegetables;** 1 - 2 L / da (With Drip Irrigation)
* **In vegetables;** 200 - 400 cc / da / 100 Lt Water (With Foliar Application)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Drip Irrigation)
* **In Fruit Trees and Field Crops;** 1 - 2 L / da (With Flood Irrigation)
* **In Fruit Trees and Field Crops;** 200 - 500 cc / da / 100 Lt Water (With Foliar Application)

(It is recommended to use fertilizer after soil and/or leaf analysis.
The usage dosages here are the average values obtained as a result of the tests carried out by our company.
It may vary depending on soil structures. Please contact your nearest dealer or our company for the best dosages.)

Soil is future,
future is safe with us



ORIGINAL MADE IN TURKEY ORIGINAL

KRISTAL AG



info@kristalag.com


ASIST fert











Soil is future,
future is safe with us





KRISTAL AG


Mg
Cu
S
N
Mn
Mo
P
B
K

info@kristalag.com

TRIO NPK

18-18-18 + TE

20-20-20 + TE

15-30-15 + TE

16-8-24 + TE

20-10-20 + TE

5-5-40 + TE



Soil is future,
future is safe with us

ORIGINAL MADE IN TURKEY ORIGINAL

KRİSTAL AG

NOTLAR:

NOTLAR:

KRİSTAL AG

Kristal Ag Kimya Tarım San. ve Tic. Ltd. Şti.
Pınarlı Mah. Atatürk Blv. No: 193
Aksu/Antalya
info@kristalag.com
www.kristalag.com
+90 532 290 2900



Soil is future,
future is safe with us